

## Refine Search

### Search Results -

Terms	Documents
L12 and L3	0

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

**Database:** L12 and Refine Search  
**Search:** Recall Text Clear Interrupt

### Search History

**DATE:** Thursday, June 17, 2004 [Printable Copy](#) [Create Case](#)

**Set Name** **Query**  
side by side

**Hit Count** **Set Name**  
result set

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L13</u>	L12 and L3	0	<u>L13</u>
<u>L12</u>	L11 and (GUI or (graphical near user near interface))	20	<u>L12</u>
<u>L11</u>	(L7 or L9) and L10	47	<u>L11</u>
<u>L10</u>	multidimension\$ same (database\$1 or (data near base\$1))	1067	<u>L10</u>
<u>L9</u>	L8 not L7	25	<u>L9</u>
<u>L8</u>	(L5 or L6) and L2	66	<u>L8</u>
<u>L7</u>	(L5 or L6) and L1	41	<u>L7</u>
<u>L6</u>	345/\$.ccls.	68160	<u>L6</u>
<u>L5</u>	707/\$.ccls.	21003	<u>L5</u>
<u>L4</u>	L3 and l2	0	<u>L4</u>
<u>L3</u>	(dynamic\$4 near demand) same (database\$1 or (data near base\$1))	14	<u>L3</u>
<u>L2</u>	OLAP near cube	94	<u>L2</u>
<u>L1</u>	"OLAP cube"	65	<u>L1</u>

END OF SEARCH HISTORY

h e b b cg b e e ch

## Refine Search

### Search Results -

Terms	Documents
L24 and (access\$3 same (specific near data))	3

4-17-4  
**Database:** US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

**Search:** L25

### Search History

**DATE:** Thursday, June 17, 2004 [Printable Copy](#) [Create Case](#)

**Set Name** **Query**  
side by side

**Hit Count** **Set Name**  
result set

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L25</u>	L24 and (access\$3 same (specific near data))	3	<u>L25</u>
<u>L24</u>	L22 and (query or queries)	41	<u>L24</u>
<u>L23</u>	L22 and (dynamic\$4 near demand)	0	<u>L23</u>
<u>L22</u>	L21 and L10	47	<u>L22</u>
<u>L21</u>	L5 and L2	66	<u>L21</u>
<u>L20</u>	L18 and L6	1	<u>L20</u>
<u>L19</u>	L18 and L5	13	<u>L19</u>
<u>L18</u>	L16 and (access\$3 near (database\$1 or (data near base\$1)))	15	<u>L18</u>
<u>L17</u>	L16 and (access\$3 same (database\$1 or (data near base\$1)))	42	<u>L17</u>
<u>L16</u>	L15 and display\$3	46	<u>L16</u>
<u>L15</u>	L2 and L10	54	<u>L15</u>
<u>L14</u>	L12 and (dynamic\$4 near demand)	0	<u>L14</u>
<u>L13</u>	L12 and L3	0	<u>L13</u>
<u>L12</u>	L11 and (GUI or (graphical near user near interface))	20	<u>L12</u>

<u>L11</u>	(L7 or L9) and L10	47	<u>L11</u>
<u>L10</u>	multidimension\$ same (database\$1 or (data near base\$1))	1067	<u>L10</u>
<u>L9</u>	L8 not L7	25	<u>L9</u>
<u>L8</u>	(L5 or L6) and L2	66	<u>L8</u>
<u>L7</u>	(L5 or L6) and L1	41	<u>L7</u>
<u>L6</u>	345/\$.ccls.	68160	<u>L6</u>
<u>L5</u>	707/\$.ccls.	21003	<u>L5</u>
<u>L4</u>	L3 and l2	0	<u>L4</u>
<u>L3</u>	(dynamic\$4 near demand) same (database\$1 or (data near base\$1))	14	<u>L3</u>
<u>L2</u>	OLAP near cube	94	<u>L2</u>
<u>L1</u>	"OLAP cube"	65	<u>L1</u>

END OF SEARCH HISTORY



## Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

## Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

## Search

- By Author
- Basic
- Advanced

## Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

 Print Format

Your search matched **4** of **1045422** documents.  
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

## Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

((olap <near> cube) <paragraph> access\*) <and> quer

Check to search within this result set

## Results Key:

**JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard

**1 Interactive ROLAP on large datasets: a case study with UB-trees**

Ramsak, F.; Markl, V.; Fenk, R.; Bayer, R.; Ruf, T.;  
Database Engineering & Applications, 2001 International Symposium on. , 16 July 2001  
Pages:167 - 176

[\[Abstract\]](#) [\[PDF Full-Text \(792 KB\)\]](#) IEEE CNF

**2 Exploitation of pre-sortedness for sorting in query processing: the TempTris-algorithm for UB-trees**

Zirkel, M.; Markl, V.; Bayer, R.;  
Database Engineering & Applications, 2001 International Symposium on. , 16 July 2001  
Pages:155 - 166

[\[Abstract\]](#) [\[PDF Full-Text \(1044 KB\)\]](#) IEEE CNF

**3 The MD-join: an operator for complex OLAP**

Chatziantoniou, D.; Johnson, T.; Akinde, M.; Kim, S.;  
Data Engineering, 2001. Proceedings. 17th International Conference on , 2-6 2001  
Pages:524 - 533

[\[Abstract\]](#) [\[PDF Full-Text \(800 KB\)\]](#) IEEE CNF

**4 An infrastructure for scalable parallel multidimensional analysis**

Goil, S.; Choudhary, A.;  
Scientific and Statistical Database Management, 1999. Eleventh International Conference on , 28-30 July 1999  
Pages:102 - 111

[\[Abstract\]](#) [\[PDF Full-Text \(236 KB\)\]](#) [IEEE CNF](#)

---

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

## Refine Search

## Search Results -

Terms	Documents
L12 and (dynamic\$4 near demand)	0

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

## Derwent World Patents Index

## Database:

### Search:

L14



**Refine Search**



## Search History

DATE: Thursday, June 17, 2004 [Printable Copy](#) [Create Case](#)

## Set Name Query

## Hit Count Set Name

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L14</u>	L12 and (dynamic\$4 near demand)	0	<u>L14</u>
<u>L13</u>	L12 and L3	0	<u>L13</u>
<u>L12</u>	L11 and (GUI or (graphical near user near interface))	20	<u>L12</u>
<u>L11</u>	(L7 or L9) and L10	47	<u>L11</u>
<u>L10</u>	multidimension\$ same (database\$1 or (data near base\$1))	1067	<u>L10</u>
<u>L9</u>	L8 not L7	25	<u>L9</u>
<u>L8</u>	(L5 or L6) and L2	66	<u>L8</u>
<u>L7</u>	(L5 or L6) and L1	41	<u>L7</u>
<u>L6</u>	345/\$.ccls.	68160	<u>L6</u>
<u>L5</u>	707/\$.ccls.	21003	<u>L5</u>
<u>L4</u>	L3 and l2	0	<u>L4</u>
<u>L3</u>	(dynamic\$4 near demand) same (database\$1 or (data near base\$1))	14	<u>L3</u>
<u>L2</u>	OLAP near cube	94	<u>L2</u>
<u>L1</u>	"OLAP cube"	65	<u>L1</u>

END OF SEARCH HISTORY

h e b b cg b e e ch